

**EXHIBIT 27 -- CURRENTLY AVAILABLE INFORMATION CONCERNING HISTORIC ENVIRONMENTAL REPORTING**

<u>Date (6c &amp; e)</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
<b>Adams RCRA I.D. # MAD002081651</b>					
1971	USEPA			EPA, Office of Water Programs New England Division, Corps of Engineers, 424 Trapelo Rd., Waltham, MA	Report of Industrial Wastewater Discharges
6/25/1971	Corps of Engineers			New England Division, Corps of Engineers, 424 Trapelo Rd., Waltham, MA; MA DPH, Division of Environmental Health, 600 Washington St., Boston, MA	Application to discharge under Refuse Act of 1899
9/28/1971	Corps of Engineers	MA DPH		Enforcement Division, USEPA, JFK Federal Building, Boston, MA	Application to discharge under Refuse Act of 1899
5/29/1979 undated	USEPA	DEQE	CWA RCRA	Permit Administration Section, USEPA, JFK Federal Building, Boston, MA	Athorization to Discharge under NPDES Notification of Hazardous Waste Activity
6/21/1979 11/4/1980 9/3/1981	USEPA USEPA	DEQE	CWA RCRA	Division of Hazardous Waste, MA DEQE, 1 Winter St., Boston, MA	NPDES permit application - Short Form C Consolidated Permit Hazardous waste inventory 1981
11/4/1982		DEQE, Boston	RCRA	Division of Hazardous Waste, MA DEQE, 1414 State Street, Springfield, MA	Letter re Manifest # MA0049277
12/3/1982		DEQE, Western Region	RCRA	State Waste Programs Branch, USEPA, JFK Federal Building, Boston, MA	Report re oil tank leak
12/14/1983	USEPA		RCRA	Air Pollution Control District, MA DEQE, 1414 State Street, Springfield, MA	Interim Status withdrawal
2/8/1984		DEQE	RCRA	Division of Hazardous Waste, MA DEQE, 1 Winter St., Boston, MA	Letter re toluene spill
3/15/1984		DEQE, Boston	RCRA	Water Quality Branch, Water Management Division, USEPA	Certification re withdrawal of interim status
9/24/1984 2/6/1985	USEPA		CWA	JFK Federal Building, Boston, MA Compliance Office, Division of Solid and Hazardous Waste, DEQE, One Winter St., Boston, MA 02108	Notice of Intent
2/28/1985		MA DEQE	RCRA	Division or Water Pollution Control, MA DEQE, One Winter St., Boston, MA	Annual Hazardous Waste Report 1984
5/1/1985		DEQE	CWA	Compliance Office, Division of Solid and Hazardous Waste, DEQE, One Winter St., Boston, MA 02108	Surface water discharge permit
2/10/1986		MA DEQE	RCRA		Annual Hazardous Waste Report 1985

Superfund Records Center

FILE: Wells G3 #

DATE: 11.9

OTHER: EXH 27 466923

<u>Date (6c &amp; e)</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
<b><u>Agawam RCRA I.D. # MAD057989246</u></b>					
6/17/1986		DEQE, Western Region	CAA	DEQE, Western Region 436 Dwight Street, Fourth Floor Springfield, MA	1985 Air Emission Inventory Form
<b><u>Cambridge RCRA I.D. # MAD001409150</u></b>					
3/31/1978	USEPA		TSCA	USEPA - OTS, P.O. Box 02201, Columbus, OH 43202	TSCA Inventory Report
5/1/1978	USEPA		TSCA	USEPA - OTS, P.O. Box 02201, Columbus, OH 43202	TSCA Inventory Report
5/1/1978	USEPA		TSCA	USEPA - OTS, P.O. Box 02201, Columbus, OH 43202	TSCA Inventory Report
11/14/1980	USEPA		RCRA	Signed form only, no cover letter with address	Hazardous waste permit form
6/9/1981			CERCLA 103 c	Signed form only, no cover letter with address	Notification of Hazardous Waste for Harvey Street? Submitted by D&A
2/26/1982		DECE Boston	RCRA	DECE Division of Hazardous Waste, 1 Winter St., Boston	Annual hazardous waste report for MAD001409150
4/11/1982	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
5/14/1982		MA DEQE	310CMR7.06(1)(b)	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01801	NOV Response for Boiler Opacity
7/9/1982	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
10/4/1982	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
10/8/1982	EPA Washinton		RCRA	ESEPA, Office of Solid Waste (WH-562), Room S-273, 401 M Street, Washington, D.C., 20460	Hazardous Waste Treatment Storage and Disposal Questionnaire
1/10/1983	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
4/8/1983	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report

<u>Date (6c &amp; e)</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
6/9/1983	USEPA, JFK Bldg Boston	MA DEQE	RCRA	USEPA Site Response Section, JFK Building, Boston, MA 02203 Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01802 USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Agreement to cooperate with EPA contractor NUS for waste site assessment.
7/1/1983	USEPA Boston USEPA, JFK Bldg		CWA	USEPA FIT Regional Project Officer, JFK Federal Building, Boston, MA 02203	Quarterly Discharge Monitoring Report
9/6/1983	Boston		RCRA		Comments on NUS waste site assessment report
10/14/1983	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
1/3/1984	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
1/31/1984	USEPA, JFK Bldg Boston	MA DEQE	RCRA	USEPA, State Waste Programs, Room 1903, JFK Federal Building, Boston MA, 02203, DEQE Northeast Region, Woburn	Withdrawal of November 1980 TSDF application
2/1/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01800	Additional information on Boiler install application. References original submissi
2/22/1984		MA DEQE	RCRA	Signed form only, no cover letter with address	Annual hazardous waste report for MAD001409150
3/15/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01801	Additional information on Boiler install application. References original submissi
3/15/1984	USEPA Region 1 Bos	MA DEQE		Massachusetts Department of Environmental Quality Engineering, Division of Hazardous Waste, One Winter St., Boston, MA, 02108 Metropolitan District Commission, Sewerage Division, 4th Floor, 20 Somerset Street, Boston, MA 02108	Certification of RCRA conditions
3/28/1984		MDC	CWA		Request to Discharge wastewater

<u>Date (6c &amp; e)</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
5/7/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01801	Demolition notification for three small buildings
6/4/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01801	Demolition notification for loading dock on Building 7
6/7/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01801	Demolition notification for Buildings 5, 7, 10, 11, 13, 21, 32, 34, 42 and 46
6/20/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 323 New Boston St., Woburn MA 01802	Source Registration for 1983
7/2/1984	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
10/9/1984		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, Air Quality Control Section, Metropolitan Boston-Northeast Region, 9 Commonwealth Ave., Woburn MA 01801	Notification that boiler installation is complete.
1/21/1985	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
2/15/1985		MA DEQE	RCRA	Signed form only, no cover letter with address	Annual hazardous waste report for MAD001409150
6/19/1985	USEPA Boston		CWA	USEPA Permits Branch, P.O. Box 8127, Boston MA, 02114	Quarterly Discharge Monitoring Report
<b><u>Canton Washington Street RCRA I.D. #MAD000843920</u></b>					
8/22/1983		MDC	CWA	MDC, Sewerage Division, 20 Somerset St., Boston, MA	Analysis of effluent
1/10/1984		MDC	CWA	MDC, Sewerage Division, 20 Somerset St., Boston, MA	Analysis of effluent
<b><u>Canton Walpole Street RCRA I.D. # MAD000361709</u></b>					

<u>Date (6c &amp; e)</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
unknown		MA DPH	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA	Equipment registration
unknown		MA DPH	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA	Equipment registration
4/4/1975		MA DPH	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA	Equipment registration
2/27/1975		MA DPH	CAA	Metropolitan Boston APCD, 600 Washington St., Rm. 320, Boston	Registration of processing or manufacturing equipment
0/0/1982		MA DEQE	RCRA	Unexecuted	Annual Hazardous Waste Report 1983
7/8/1982		MDC	CWA	MDC, 20 Somerset St., Boston, MA	Industrial User Permit Application
8/23/1982		MA DEQE		Deputy Regional Environmental Engineer, DEQE, 323 New Boston St., Woburn, MA	Response to request re corrective action
3/29/1984	USEPA		RCRA	State Waste Programs, US EPA, JFK Federal Building, Boston, MA	Request to change status
5/8/1984	USEPA		CWA	US EPA, Region 1, Water Quality Branch, JFK Federal Building, Boston, MA	Consolidated Permits Program
11/16/1984		MA DEQE		Metropolitan Boston Northeast Regional Office, DEQE, 5 Commonwealth Ave., Woburn, MA	Letter re audit report
11/20/1984		MDC	CWA	Sanitary Engineering Section, Sewerage Division, MDC, 20 Somerset St., Boston, MA	Industrial User Permit Application 1985
1/13/1986		MA DEQE	RCRA	Compliance Branch, DEQE, Division of Solid and Hazardous Waste, One Winter St., Boston, MA	Annual Hazardous Waste Report 1985
<b><u>Canton Washington Street RCRA I.D. # MAD000843920</u></b>					
unknown		MA DPH	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA	Equipment registration
unknown 0/0/1963		MA DPH MDC	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA MA MDC, Sewerage Division	Equipment registration Waste discharge classification
11/24/197X		MA DPH	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA	Equipment registration

<u>Date (6c &amp; e)</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
4/4/1975 12/17/1976		MA DPH	CAA	Division of Environmental Health, Bureau of Air Quality Control, 600 Washington St., Boston, MA	Equipment registration Equipment registration
3/28/1978		MA DEQE	CAA	DEQE, Division of Air and Hazardous Materials	Registration of Hydrocarbon Emissions
2/29/1984		MA DEQE	RCRA	Compliance Branch, DEQE, Division of Solid and Hazardous Waste, One Winter St., Boston, MA	Annual Hazardous Waste Report
3/29/1984	US EPA		RCRA	State Waste Programs, US EPA, JFK Federal Building, Boston, MA	Request for change in status
<b><u>Danvers Facility</u></b>					
7/28/1980		MA DEQE	CAA	DEQE, Division of Air Quality Control	Process/manufacturing registration
8/7/1982	US EPA		RCRA		Notification of hazardous waste activity
10/22/1982	US EPA				Reporting re asbestos mixtures
<b><u>Hartwell Lexington Facility RCRA I.D. #MAD019292846</u></b>					
5/00/1980		MDC	CWA	MDC, Sewerage Division, 20 Somerset St., Boston, MA	Application to discharge wastewater
9/23/1981		MDC	CWA	MDC, Sewerage Division, 20 Somerset St., Boston, MA	Industrial user discharge report
9/27/1982		MDC	CWA	MDC, Sewerage Division, 20 Somerset St., Boston, MA	Industrial user discharge report
5/4/1983	US EPA		RCRA		Notification of hazardous waste activity
9/18/1983	US EPA		RCRA	State Waste Program, US EPA, JFK Federal Building, Boston, MA	Annual hazardous waste report
9/20/1983		DEQE	CAA	DEQE, 323 New Boston St., Woburn, MA	Application covering installation of ventilation fans
9/18/1984		DEQE	RCRA		Request for change of status
10/1/1984	US EPA		RCRA	State Waste Program, US EPA, JFK Federal Building, Boston, MA	Request for change of status
<b><u>Hayden Lexington Facility RCRA I.D. # MAD076624311</u></b>					
3/23/1981		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, , Metropolitan Boston-Northeast Region, 5 Commonwealth Ave., Woburn MA 01801	Annual Air Source Registration

<u>Date (6c &amp; e))</u>	<u>Federal Office (6b)</u>	<u>State Office (6d)</u>	<u>Environmental Law (6f)</u>	<u>Agency Address (6g)</u>	<u>Comment</u>
7/16/1982		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, , Metropolitan Boston-Northeast Region, 5 Commonwealth Ave., Woburn MA 01801	Annual Air Source Registration
10/11/1985		MA DEQE	CAA	Massachusetts Department of Environmental Quality Engineering, , Metropolitan Boston-Northeast Region, 5 Commonwealth Ave., Woburn MA 01801	Annual Air Source Registration
<b><u>Woburn Holton Street * RCRA I.D. #MAD091495309</u></b>					
8/11/1980	US EPA		RCRA	US EPA	Notification of Hazardous Waste Activity
11/19/1980	US EPA		RCRA	US EPA	Notification of Hazardous Waste Activity
12/20/1982	US EPA			US EPA	Reporting use of asbestos
<b><u>Woburn Dragon Ct/Commonwealth Ave Facility RCRA I.D. #MAD00141951</u></b>					
unknown		MA DEQE	RCRA	DEQE	Notification of Hazardous Waste Activity
9/2/1982	US EPA		RCRA		Notification of Hazardous Waste Activity
<b><u>Hudson Facility RCRA I.D. # NHD048727994</u></b>					
7/14/1986		NH DPH	RCRA	Office of Waste Management, NH Division of Public Health Services, Hazen Dr., Concord, NH	Hazardous waste generator annual report
<b><u>Nashua Facility RCRA I.D. # NHD048724173</u></b>					
Grace refers to its response to Inquiry 8(a)-(b) of its 01/29/1992 reponse re Shaffer Landfill, which indicates the following reporting by the Nashua facility:					
1981-1986		NH DPH	RCRA	NH DPHS, Office of Waste Management, Bureau of Hazardous Waste Management, Hazen Dr., Concord, NH	Quarterly hazardous waste generator reports